

Rules for integrands involving error functions

1. $\int \text{Erf}[a + b x]^n dx$

1: $\int \text{Erf}[a + b x] dx$

- Reference: G&R 5.41
- Derivation: Integration by parts
- Rule:

$$\int \text{Erf}[a + b x] dx \rightarrow \frac{(a + b x) \text{Erf}[a + b x]}{b} + \frac{1}{b \sqrt{\pi} e^{(a+bx)^2}}$$

- Program code:

```
Int[Erf[a_.+b_.*x_],x_Symbol] :=  
  (a+b*x)*Erf[a+b*x]/b + 1/(b*Sqrt[Pi]*E^(a+b*x)^2) /;  
FreeQ[{a,b},x]
```

```
Int[Erfc[a_.+b_.*x_],x_Symbol] :=  
  (a+b*x)*Erfc[a+b*x]/b - 1/(b*Sqrt[Pi]*E^(a+b*x)^2) /;  
FreeQ[{a,b},x]
```

```
Int[Erfi[a_.+b_.*x_],x_Symbol] :=  
  (a+b*x)*Erfi[a+b*x]/b - E^(a+b*x)^2/(b*Sqrt[Pi]) /;  
FreeQ[{a,b},x]
```

2: $\int \operatorname{Erf}[a + b x]^2 dx$

■ **Derivation: Integration by parts**

■ **Rule:**

$$\int \operatorname{Erf}[a + b x]^2 dx \rightarrow \frac{(a + b x) \operatorname{Erf}[a + b x]^2}{b} - \frac{4}{\sqrt{\pi}} \int \frac{(a + b x) \operatorname{Erf}[a + b x]}{e^{(a + b x)^2}} dx$$

■ **Program code:**

```
Int[Erf[a_+b_*x_]^2,x_Symbol] :=
  (a+b*x)*Erf[a+b*x]^2/b -
  4/Sqrt[Pi]*Int[(a+b*x)*Erf[a+b*x]/E^(a+b*x)^2,x] /;
FreeQ[{a,b},x]
```

```
Int[Erfc[a_+b_*x_]^2,x_Symbol] :=
  (a+b*x)*Erfc[a+b*x]^2/b +
  4/Sqrt[Pi]*Int[(a+b*x)*Erfc[a+b*x]/E^(a+b*x)^2,x] /;
FreeQ[{a,b},x]
```

```
Int[Erfi[a_+b_*x_]^2,x_Symbol] :=
  (a+b*x)*Erfi[a+b*x]^2/b -
  4/Sqrt[Pi]*Int[(a+b*x)*E^(a+b*x)^2*Erfi[a+b*x],x] /;
FreeQ[{a,b},x]
```

X: $\int \operatorname{Erf}[a + b x]^n dx$ when $n \neq 1 \wedge n \neq 2$

■ **Rule: If $n \neq 1 \wedge n \neq 2$, then**

$$\int \operatorname{Erf}[a + b x]^n dx \rightarrow \int \operatorname{Erf}[a + b x]^n dx$$

■ **Program code:**

```
Int[Erf[a_+b_*x_]^n,x_Symbol] :=
  Unintegrable[Erf[a+b*x]^n,x] /;
FreeQ[{a,b,n},x] && NeQ[n,1] && NeQ[n,2]
```

```
Int[Erfc[a_+b_*x_]^n_,x_Symbol] :=
  Unintegrable[Erfc[a+b*x]^n,x] /;
  FreeQ[{a,b,n},x] && NeQ[n,1] && NeQ[n,2]
```

```
Int[Erfi[a_+b_*x_]^n_,x_Symbol] :=
  Unintegrable[Erfi[a+b*x]^n,x] /;
  FreeQ[{a,b,n},x] && NeQ[n,1] && NeQ[n,2]
```

$$2. \int (c + dx)^m \operatorname{Erf}[a + bx]^n dx$$

$$1. \int (c + dx)^m \operatorname{Erf}[a + bx] dx$$

$$1: \int \frac{\operatorname{Erf}[bx]}{x} dx$$

■ **Basis:** $\operatorname{Erfc}[z] = 1 - \operatorname{Erf}[z]$

■ **Rule:**

$$\int \frac{\operatorname{Erf}[bx]}{x} dx \rightarrow \frac{2bx}{\sqrt{\pi}} \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{2}, \frac{1}{2}\right\}, \left\{\frac{3}{2}, \frac{3}{2}\right\}, -b^2 x^2\right]$$

■ **Program code:**

```
Int[Erf[b_*x_]/x_,x_Symbol] :=
  2*b*x/Sqrt[Pi]*HypergeometricPFQ[{1/2,1/2},{3/2,3/2},-b^2*x^2] /;
  FreeQ[b,x]
```

```
Int[Erfc[b_*x_]/x_,x_Symbol] :=
  Log[x] - Int[Erf[b*x]/x,x] /;
  FreeQ[b,x]
```

```
Int[Erfi[b_*x_]/x_,x_Symbol] :=
  2*b*x/Sqrt[Pi]*HypergeometricPFQ[{1/2,1/2},{3/2,3/2},b^2*x^2] /;
  FreeQ[b,x]
```

$$2: \int (c + dx)^m \operatorname{Erf}[a + bx] dx \text{ when } m \neq -1$$

■ **Derivation: Integration by parts**

■ **Rule: If $m \neq -1$, then**

$$\int (c + dx)^m \operatorname{Erf}[a + bx] dx \rightarrow \frac{(c + dx)^{m+1} \operatorname{Erf}[a + bx]}{d(m+1)} - \frac{2b}{\sqrt{\pi} d(m+1)} \int \frac{(c + dx)^{m+1}}{e^{(a+bx)^2}} dx$$

■ **Program code:**

```
Int[(c_.+d_.*x_)^m_.*Erf[a_.+b_.*x_],x_Symbol] :=
  (c+d*x)^(m+1)*Erf[a+b*x]/(d*(m+1)) -
  2*b/(Sqrt[Pi]*d*(m+1))*Int[(c+d*x)^(m+1)/E^(a+b*x)^2,x] /;
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1]
```

```
Int[(c_.+d_.*x_)^m_.*Erfc[a_.+b_.*x_],x_Symbol] :=
  (c+d*x)^(m+1)*Erfc[a+b*x]/(d*(m+1)) +
  2*b/(Sqrt[Pi]*d*(m+1))*Int[(c+d*x)^(m+1)/E^(a+b*x)^2,x] /;
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1]
```

```
Int[(c_.+d_.*x_)^m_.*Erfi[a_.+b_.*x_],x_Symbol] :=
  (c+d*x)^(m+1)*Erfi[a+b*x]/(d*(m+1)) -
  2*b/(Sqrt[Pi]*d*(m+1))*Int[(c+d*x)^(m+1)*E^(a+b*x)^2,x] /;
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1]
```

$$2. \int (c + dx)^m \operatorname{Erf}[a + bx]^2 dx$$

$$1: \int x^m \operatorname{Erf}[bx]^2 dx \text{ when } m \in \mathbb{Z}^+ \vee \frac{m+1}{2} \in \mathbb{Z}^-$$

■ **Derivation: Integration by parts**

■ **Rule: If** $m \in \mathbb{Z}^+ \vee \frac{m+1}{2} \in \mathbb{Z}^-$, **then**

$$\int x^m \operatorname{Erf}[bx]^2 dx \rightarrow \frac{x^{m+1} \operatorname{Erf}[bx]^2}{m+1} - \frac{4b}{\sqrt{\pi}(m+1)} \int \frac{x^{m+1} \operatorname{Erf}[bx]}{e^{b^2 x^2}} dx$$

■ **Program code:**

```
Int[x^m_*Erf[b*_x_]^2,x_Symbol] :=
  x^(m+1)*Erf[b*x]^2/(m+1) -
  4*b/(Sqrt[Pi]*(m+1))*Int[x^(m+1)*E^(-b^2*x^2)*Erf[b*x],x] /;
FreeQ[b,x] && (IGtQ[m,0] || ILtQ[(m+1)/2,0])
```

```
Int[x^m_*Erfc[b*_x_]^2,x_Symbol] :=
  x^(m+1)*Erfc[b*x]^2/(m+1) +
  4*b/(Sqrt[Pi]*(m+1))*Int[x^(m+1)*E^(-b^2*x^2)*Erfc[b*x],x] /;
FreeQ[b,x] && (IGtQ[m,0] || ILtQ[(m+1)/2,0])
```

```
Int[x^m_*Erfi[b*_x_]^2,x_Symbol] :=
  x^(m+1)*Erfi[b*x]^2/(m+1) -
  4*b/(Sqrt[Pi]*(m+1))*Int[x^(m+1)*E^(b^2*x^2)*Erfi[b*x],x] /;
FreeQ[b,x] && (IGtQ[m,0] || ILtQ[(m+1)/2,0])
```

$$2: \int (c + dx)^m \operatorname{Erf}[a + bx]^2 dx \text{ when } m \in \mathbb{Z}^+$$

■ **Derivation: Integration by substitution**

■ **Rule: If $m \in \mathbb{Z}^+$, then**

$$\int (c + dx)^m \operatorname{Erf}[a + bx]^2 dx \rightarrow \frac{1}{b^{m+1}} \operatorname{Subst} \left[\int \operatorname{Erf}[x]^2 \operatorname{ExpandIntegrand}[(bc - ad + dx)^m, x] dx, x, a + bx \right]$$

■ **Program code:**

```
Int[(c_.+d_.*x_)^m_.*Erf[a_.+b_.*x_]^2,x_Symbol] :=
  1/b^(m+1)*Subst[Int[ExpandIntegrand[Erf[x]^2,(b*c-a*d+d*x)^m,x],x],x,a+b*x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,0]
```

```
Int[(c_.+d_.*x_)^m_.*Erfc[a_.+b_.*x_]^2,x_Symbol] :=
  1/b^(m+1)*Subst[Int[ExpandIntegrand[Erfc[x]^2,(b*c-a*d+d*x)^m,x],x],x,a+b*x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,0]
```

```
Int[(c_.+d_.*x_)^m_.*Erfi[a_.+b_.*x_]^2,x_Symbol] :=
  1/b^(m+1)*Subst[Int[ExpandIntegrand[Erfi[x]^2,(b*c-a*d+d*x)^m,x],x],x,a+b*x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,0]
```

$$X: \int (c + dx)^m \operatorname{Erf}[a + bx]^n dx$$

■ **Rule:**

$$\int (c + dx)^m \operatorname{Erf}[a + bx]^n dx \rightarrow \int (c + dx)^m \operatorname{Erf}[a + bx]^n dx$$

■ **Program code:**

```
Int[(c_.+d_.*x_)^m_.*Erf[a_.+b_.*x_]^n_,x_Symbol] :=
  Unintegrable[(c+d*x)^m*Erf[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,m,n},x]
```

```
Int[(c_.+d_.*x_)^m_.*Erfc[a_.+b_.*x_]^n_,x_Symbol] :=
  Unintegrable[(c+d*x)^m*Erfc[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,m,n},x]
```

```
Int[(c_.+d_.*x_)^m_.*Erfi[a_.+b_.*x_]^n_.,x_Symbol] :=
  Unintegrable[(c+d*x)^m*Erfi[a+b*x]^n,x] /;
  FreeQ[{a,b,c,d,m,n},x]
```

$$3. \int e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx$$

$$1. \int e^{c+dx^2} \operatorname{Erf}[bx]^n dx \text{ when } d^2 = b^4$$

$$1: \int e^{c+dx^2} \operatorname{Erf}[bx]^n dx \text{ when } d = -b^2$$

■ **Derivation: Integration by substitution**

■ **Basis:** If $d = -b^2$, then $e^{c+dx^2} F[\operatorname{Erf}[bx]] = \frac{e^c \sqrt{\pi}}{2b} \operatorname{Subst}[F[x], x, \operatorname{Erf}[bx]] \partial_x \operatorname{Erf}[bx]$

■ **Rule:** If $d = -b^2$, then

$$\int e^{c+dx^2} \operatorname{Erf}[bx]^n dx \rightarrow \frac{e^c \sqrt{\pi}}{2b} \operatorname{Subst}\left[\int x^n dx, x, \operatorname{Erf}[bx]\right]$$

■ **Program code:**

```
Int[E^(c_.+d_.*x_^2)*Erf[b_.*x_]^n_.,x_Symbol] :=
  E^c*Sqrt[Pi]/(2*b)*Subst[Int[x^n,x],x,Erf[b*x]] /;
  FreeQ[{b,c,d,n},x] && EqQ[d,-b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfc[b_.*x_]^n_.,x_Symbol] :=
  -E^c*Sqrt[Pi]/(2*b)*Subst[Int[x^n,x],x,Erfc[b*x]] /;
  FreeQ[{b,c,d,n},x] && EqQ[d,-b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfi[b_.*x_]^n_.,x_Symbol] :=
  E^c*Sqrt[Pi]/(2*b)*Subst[Int[x^n,x],x,Erfi[b*x]] /;
  FreeQ[{b,c,d,n},x] && EqQ[d,b^2]
```

$$2: \int e^{c+dx^2} \operatorname{Erf}[bx] dx \text{ when } d = b^2$$

■ **Basis:** $\operatorname{Erfc}[z] = 1 - \operatorname{Erf}[z]$

■ **Rule:** If $d = b^2$, then

$$\int e^{c+dx^2} \operatorname{Erf}[bx] dx \rightarrow \frac{b e^c x^2}{\sqrt{\pi}} \operatorname{HypergeometricPFQ}\left[\{1, 1\}, \left\{\frac{3}{2}, 2\right\}, b^2 x^2\right]$$

■ Program code:

```
Int[E^(c_.+d_.*x_^2)*Erf[b_.*x_],x_Symbol] :=
  b*E^c*x^2/Sqrt[Pi]*HypergeometricPFQ[{1,1},{3/2,2},b^2*x^2] /;
FreeQ[{b,c,d},x] && EqQ[d,b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfc[b_.*x_],x_Symbol] :=
  Int[E^(c+d*x^2),x] - Int[E^(c+d*x^2)*Erf[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d,b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfi[b_.*x_],x_Symbol] :=
  b*E^c*x^2/Sqrt[Pi]*HypergeometricPFQ[{1,1},{3/2,2},-b^2*x^2] /;
FreeQ[{b,c,d},x] && EqQ[d,-b^2]
```

X: $\int e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx$

■ Rule:

$$\int e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx \rightarrow \int e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx$$

■ Program code:

```
Int[E^(c_.+d_.*x_^2)*Erf[a_.+b_.*x_]^n_.,x_Symbol] :=
  Unintegrable[E^(c+d*x^2)*Erf[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,n},x]
```

```
Int[E^(c_.+d_.*x_^2)*Erfc[a_.+b_.*x_]^n_.,x_Symbol] :=
  Unintegrable[E^(c+d*x^2)*Erfc[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,n},x]
```

```
Int[E^(c_.+d_.*x_^2)*Erfi[a_.+b_.*x_]^n_.,x_Symbol] :=
  Unintegrable[E^(c+d*x^2)*Erfi[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,n},x]
```


$$4. \int (e x)^m e^{c+d x^2} \operatorname{Erf}[a+b x]^n dx$$

$$1. \int x^m e^{c+d x^2} \operatorname{Erf}[a+b x] dx \text{ when } m \in \mathbb{Z}$$

$$1. \int x^m e^{c+d x^2} \operatorname{Erf}[a+b x] dx \text{ when } m \in \mathbb{Z}^+$$

$$1: \int x e^{c+d x^2} \operatorname{Erf}[a+b x] dx$$

■ **Derivation: Integration by parts**

■ **Basis:** $\int x e^{c+d x^2} dx = \frac{1}{2d} e^{c+d x^2}$

■ **Basis:** $\partial_x \operatorname{Erf}[a+b x] = \frac{2b}{\sqrt{\pi}} e^{-a^2-2 a b x-b^2 x^2}$

■ **Rule:**

$$\int x e^{c+d x^2} \operatorname{Erf}[a+b x] dx \rightarrow \frac{e^{c+d x^2} \operatorname{Erf}[a+b x]}{2d} - \frac{b}{d \sqrt{\pi}} \int e^{-a^2+c-2 a b x-(b^2-d) x^2} dx$$

■ **Program code:**

```
Int[x_*E^(c_.+d_.*x_^2)*Erf[a_.+b_.*x_],x_Symbol] :=
  E^(c+d*x^2)*Erf[a+b*x]/(2*d) -
  b/(d*Sqrt[Pi])*Int[E^(-a^2+c-2*a*b*x-(b^2-d)*x^2),x] /;
FreeQ[{a,b,c,d},x]
```

```
Int[x_*E^(c_.+d_.*x_^2)*Erfc[a_.+b_.*x_],x_Symbol] :=
  E^(c+d*x^2)*Erfc[a+b*x]/(2*d) +
  b/(d*Sqrt[Pi])*Int[E^(-a^2+c-2*a*b*x-(b^2-d)*x^2),x] /;
FreeQ[{a,b,c,d},x]
```

```
Int[x_*E^(c_.+d_.*x_^2)*Erfi[a_.+b_.*x_],x_Symbol] :=
  E^(c+d*x^2)*Erfi[a+b*x]/(2*d) -
  b/(d*Sqrt[Pi])*Int[E^(a^2+c+2*a*b*x+(b^2+d)*x^2),x] /;
FreeQ[{a,b,c,d},x]
```

$$2: \int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx \text{ when } m-1 \in \mathbb{Z}^+$$

■ **Derivation: Integration by parts**

■ **Basis:** $\int x e^{c+dx^2} dx = \frac{1}{2d} e^{c+dx^2}$

■ **Basis:** $\partial_x (x^{m-1} \operatorname{Erf}[a+bx]) = \frac{2b}{\sqrt{\pi}} x^{m-1} e^{-a^2-2abx-b^2x^2} + (m-1) x^{m-2} \operatorname{Erf}[a+bx]$

■ **Rule:** If $m-1 \in \mathbb{Z}^+$, then

$$\int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx \rightarrow \frac{x^{m-1} e^{c+dx^2} \operatorname{Erf}[a+bx]}{2d} - \frac{b}{d\sqrt{\pi}} \int x^{m-1} e^{-a^2+c-2abx-(b^2-d)x^2} dx - \frac{m-1}{2d} \int x^{m-2} e^{c+dx^2} \operatorname{Erf}[a+bx] dx$$

■ **Program code:**

```
Int[x^m *E^(c_.+d_.*x^2) *Erf[a_.+b_.*x_],x_Symbol] :=
  x^(m-1) *E^(c+d*x^2) *Erf[a+b*x] / (2*d) -
  b / (d*Sqrt[Pi]) *Int[x^(m-1) *E^(-a^2+c-2*a*b*x-(b^2-d)*x^2),x] -
  (m-1) / (2*d) *Int[x^(m-2) *E^(c+d*x^2) *Erf[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,1]
```

```
Int[x^m *E^(c_.+d_.*x^2) *Erfc[a_.+b_.*x_],x_Symbol] :=
  x^(m-1) *E^(c+d*x^2) *Erfc[a+b*x] / (2*d) +
  b / (d*Sqrt[Pi]) *Int[x^(m-1) *E^(-a^2+c-2*a*b*x-(b^2-d)*x^2),x] -
  (m-1) / (2*d) *Int[x^(m-2) *E^(c+d*x^2) *Erfc[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,1]
```

```
Int[x^m *E^(c_.+d_.*x^2) *Erfi[a_.+b_.*x_],x_Symbol] :=
  x^(m-1) *E^(c+d*x^2) *Erfi[a+b*x] / (2*d) -
  b / (d*Sqrt[Pi]) *Int[x^(m-1) *E^(a^2+c+2*a*b*x+(b^2+d)*x^2),x] -
  (m-1) / (2*d) *Int[x^(m-2) *E^(c+d*x^2) *Erfi[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && IGtQ[m,1]
```

$$2. \int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx \text{ when } m \in \mathbb{Z}^-$$

$$1: \int \frac{e^{c+dx^2} \operatorname{Erf}[bx]}{x} dx \text{ when } d = b^2$$

■ **Basis:** $\operatorname{Erfc}[z] = 1 - \operatorname{Erf}[z]$

■ **Rule:** If $d = b^2$, then

$$\int \frac{e^{c+dx^2} \operatorname{Erf}[bx]}{x} dx \rightarrow \frac{2 b e^c x}{\sqrt{\pi}} \operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{2}, 1\right\}, \left\{\frac{3}{2}, \frac{3}{2}\right\}, b^2 x^2\right]$$

■ **Program code:**

```
Int[E^(c_.+d_.*x_^2)*Erf[b_.*x_]/x_,x_Symbol] :=
  2*b*E^c*x/Sqrt[Pi]*HypergeometricPFQ[{1/2,1},{3/2,3/2},b^2*x^2] /;
FreeQ[{b,c,d},x] && EqQ[d,b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfc[b_.*x_]/x_,x_Symbol] :=
  Int[E^(c+d*x^2)/x,x] - Int[E^(c+d*x^2)*Erf[b*x]/x,x] /;
FreeQ[{b,c,d},x] && EqQ[d,b^2]
```

```
Int[E^(c_.+d_.*x_^2)*Erfi[b_.*x_]/x_,x_Symbol] :=
  2*b*E^c*x/Sqrt[Pi]*HypergeometricPFQ[{1/2,1},{3/2,3/2},-b^2*x^2] /;
FreeQ[{b,c,d},x] && EqQ[d,-b^2]
```

2: $\int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx$ when $m+1 \in \mathbb{Z}^-$

■ **Derivation: Inverted integration by parts**

■ **Rule: If $m+1 \in \mathbb{Z}^-$, then**

$$\int x^m e^{c+dx^2} \operatorname{Erf}[a+bx] dx \rightarrow \frac{x^{m+1} e^{c+dx^2} \operatorname{Erf}[a+bx]}{m+1} - \frac{2b}{(m+1)\sqrt{\pi}} \int x^{m+1} e^{-a^2+c-2abx-(b^2-d)x^2} dx - \frac{2d}{m+1} \int x^{m+2} e^{c+dx^2} \operatorname{Erf}[a+bx] dx$$

■ **Program code:**

```
Int[x^m *E^(c_.+d_.*x_^2) *Erf[a_.+b_.*x_],x_Symbol] :=
  x^(m+1) *E^(c+d*x^2) *Erf[a+b*x] / (m+1) -
  2*b / ((m+1) *Sqrt[Pi]) *Int[x^(m+1) *E^(-a^2+c-2*a*b*x-(b^2-d) *x^2),x] -
  2*d / (m+1) *Int[x^(m+2) *E^(c+d*x^2) *Erf[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[m,-1]
```

```
Int[x^m *E^(c_.+d_.*x_^2) *Erfc[a_.+b_.*x_],x_Symbol] :=
  x^(m+1) *E^(c+d*x^2) *Erfc[a+b*x] / (m+1) +
  2*b / ((m+1) *Sqrt[Pi]) *Int[x^(m+1) *E^(-a^2+c-2*a*b*x-(b^2-d) *x^2),x] -
  2*d / (m+1) *Int[x^(m+2) *E^(c+d*x^2) *Erfc[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[m,-1]
```

```
Int[x^m *E^(c_.+d_.*x_^2) *Erfi[a_.+b_.*x_],x_Symbol] :=
  x^(m+1) *E^(c+d*x^2) *Erfi[a+b*x] / (m+1) -
  2*b / ((m+1) *Sqrt[Pi]) *Int[x^(m+1) *E^(a^2+c+2*a*b*x+(b^2+d) *x^2),x] -
  2*d / (m+1) *Int[x^(m+2) *E^(c+d*x^2) *Erfi[a+b*x],x] /;
FreeQ[{a,b,c,d},x] && ILtQ[m,-1]
```

$$\mathbf{X}: \int (e x)^m e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx$$

■ **Rule:**

$$\int (e x)^m e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx \rightarrow \int (e x)^m e^{c+dx^2} \operatorname{Erf}[a+bx]^n dx$$

■ **Program code:**

```
Int[(e.*x_)^m.*E^(c.+d.*x_^2)*Erf[a.+b.*x_]^n.,x_Symbol] :=
  Unintegrable[(e*x)^m*E^(c+d*x^2)*Erf[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,e,m,n},x]
```

```
Int[(e.*x_)^m.*E^(c.+d.*x_^2)*Erfc[a.+b.*x_]^n.,x_Symbol] :=
  Unintegrable[(e*x)^m*E^(c+d*x^2)*Erfc[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,e,m,n},x]
```

```
Int[(e.*x_)^m.*E^(c.+d.*x_^2)*Erfi[a.+b.*x_]^n.,x_Symbol] :=
  Unintegrable[(e*x)^m*E^(c+d*x^2)*Erfi[a+b*x]^n,x] /;
FreeQ[{a,b,c,d,e,m,n},x]
```

$$\mathbf{5}: \int \sin[c+dx^2] \operatorname{Erf}[bx] dx \text{ when } d^2 = -b^4$$

■ **Derivation: Algebraic expansion**

$$\mathbf{Basis:} \sin[c+dx^2] = \frac{1}{2} i e^{-i c - i d x^2} - \frac{1}{2} i e^{i c + i d x^2}$$

■ **Rule: If $d^2 = -b^4$, then**

$$\int \sin[c+dx^2] \operatorname{Erf}[bx] dx \rightarrow \frac{i}{2} \int e^{-i c - i d x^2} \operatorname{Erf}[bx] dx - \frac{i}{2} \int e^{i c + i d x^2} \operatorname{Erf}[bx] dx$$

■ **Program code:**

```
Int[Sin[c.+d.*x_^2]*Erf[b.*x_],x_Symbol] :=
  I/2*Int[E^(-I*c-I*d*x^2)*Erf[b*x],x] - I/2*Int[E^(I*c+I*d*x^2)*Erf[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```

```
Int[Sin[c.+d.*x_^2]*Erfc[b.*x_],x_Symbol] :=
  I/2*Int[E^(-I*c-I*d*x^2)*Erfc[b*x],x] - I/2*Int[E^(I*c+I*d*x^2)*Erfc[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```

```
Int[Sin[c_.+d_.*x_^2]*Erfi[b_.*x_],x_Symbol] :=
  1/2*Int[E^(-I*c-I*d*x^2)*Erfi[b*x],x] - 1/2*Int[E^(I*c+I*d*x^2)*Erfi[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```

```
Int[Cos[c_.+d_.*x_^2]*Erf[b_.*x_],x_Symbol] :=
  1/2*Int[E^(-I*c-I*d*x^2)*Erf[b*x],x] + 1/2*Int[E^(I*c+I*d*x^2)*Erf[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```

```
Int[Cos[c_.+d_.*x_^2]*Erfc[b_.*x_],x_Symbol] :=
  1/2*Int[E^(-I*c-I*d*x^2)*Erfc[b*x],x] + 1/2*Int[E^(I*c+I*d*x^2)*Erfc[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```

```
Int[Cos[c_.+d_.*x_^2]*Erfi[b_.*x_],x_Symbol] :=
  1/2*Int[E^(-I*c-I*d*x^2)*Erfi[b*x],x] + 1/2*Int[E^(I*c+I*d*x^2)*Erfi[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,-b^4]
```

6: $\int \sinh[c + d x] \operatorname{Erf}[b x] dx$ when $d^2 = b^4$

■ **Derivation: Algebraic expansion**

■ **Basis:** $\sinh[c + d x^2] = \frac{1}{2} e^{c+d x^2} - \frac{1}{2} e^{-c-d x^2}$

■ **Rule:** If $d^2 = b^4$, then

$$\int \sinh[c + d x^2] \operatorname{Erf}[b x] dx \rightarrow \frac{1}{2} \int e^{c+d x^2} \operatorname{Erf}[b x] dx - \frac{1}{2} \int e^{-c-d x^2} \operatorname{Erf}[b x] dx$$

■ **Program code:**

```
Int[Sinh[c_.+d_.*x_^2]*Erf[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erf[b*x],x] - 1/2*Int[E^(-c-d*x^2)*Erf[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]
```

```
Int[Sinh[c_.+d_.*x_^2]*Erfc[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erfc[b*x],x] - 1/2*Int[E^(-c-d*x^2)*Erfc[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]
```

```

Int[Sinh[c_.+d_.*x_^2]*Erfi[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erfi[b*x],x] - 1/2*Int[E^(-c-d*x^2)*Erfi[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]

```

```

Int[Cosh[c_.+d_.*x_^2]*Erf[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erf[b*x],x] + 1/2*Int[E^(-c-d*x^2)*Erf[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]

```

```

Int[Cosh[c_.+d_.*x_^2]*Erfc[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erfc[b*x],x] + 1/2*Int[E^(-c-d*x^2)*Erfc[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]

```

```

Int[Cosh[c_.+d_.*x_^2]*Erfi[b_.*x_],x_Symbol] :=
  1/2*Int[E^(c+d*x^2)*Erfi[b*x],x] + 1/2*Int[E^(-c-d*x^2)*Erfi[b*x],x] /;
FreeQ[{b,c,d},x] && EqQ[d^2,b^4]

```